

Fast Separation of 16 US EPA 610 Regulated PAHs on Agilent J&W Select PAH GC Columns

Application Note

Author

John Oostdijk
Agilent Technologies, Inc.

Introduction

Polycyclic aromatic hydrocarbons (PAHs) are compounds that contain two or more aromatic rings. They are formed during incomplete combustion or pyrolysis of organic matter, industrial processes, and cooking and food processing. PAHs are therefore analyzed in environmental and food samples. The difficulty in determining PAHs is that several of their isomers have the same mass. This makes the separation of PAHs with GC/MS rather difficult, and so column selectivity and an optimized oven program are necessary for their resolution. This application note describes the interference-free analysis of 16 PAHs listed in EPA 610 using the J&W Select PAH GC column.



Agilent Technologies

Conditions

Technique: GC/MS, Triple Quad
 Column: Select PAH, 30 m x 0.25 mm, df = 0.15 µm (part number CP7462)
 Sample: SRM 1647c, concentration appr. 0.8-21 µg/mL (www.nist.com)
 Injection Volume: 1 µL
 Temperature: 70 °C (0.80 min), 60 °C/min, 180 °C, 20 °C/min 350 °C (5 min)
 Carrier Gas: Helium, constant flow 2.0 mL/min
 Injector: 300 °C, Splitless mode, 0.75 min @ 50 mL/min
 Detector: Triple Quad, EI in SIM mode, ion source 275 °C, transfer line 300 °C

Results and Discussion

When performing this analysis, the conditions are optimized to give a fast separation of the 16 EPA PAHs. The most important isomers to resolve are phenanthrene and anthracene (m/z 178), benzo[b and k]fluoranthene (m/z 252), and indeno[1,2,3-c,d]pyrene and dibenz[a,h]anthracene with m/z 276 and 278. These compounds are all resolved by the Select PAH column, as shown in Figure 1. Figures 2 and 3 provide detailed information on the 16 EPA PAHs.

Table 1. Peak identification for Figure 1

Peak	MW	Compound	CAS
1	128	Naphthalene	91-20-3
2	152	Acenaphthylene	208-96-8
3	154	Acenaphthene	83-32-9
4	166	Fluorene	86-73-7
5	178	Phenanthrene	85-01-8
6	178	Anthracene	120-12-7
7	202	Fluoranthene	206-44-0
8	202	Pyrene	129-00-0
9	228	Benz[a]anthracene	56-55-3
10	228	Chrysene	218-01-9
11	252	Benzo[b]fluoranthene	205-99-2
12	252	Benzo[k]fluoranthene	207-08-9
13	252	Benzo[a]pyrene	50-32-8
14	278	Dibenz[a,h]anthracene	53-70-3
15	276	Indeno[1,2,3-c,d]pyrene	193-39-5
16	276	Benzo[g,h,i]perylene	191-24-2


**Figure 1. Fast GC/MS analysis of 16 US EPA PAHs on Select PAH, 30 m x 0.25 mm x 0.15 µm**

Table 2. Peak Identification for Figure 2

Peak	MW	Compound	CAS
1	128	Naphthalene	91-20-3
2	152	Acenaphthylene	208-96-8
3	154	Acenaphthene	83-32-9
4	166	Fluorene	86-73-7
5	178	Phenanthrene	85-01-8
6	178	Anthracene	120-12-7
7	202	Fluoranthene	206-44-0
8	202	Pyrene	129-00-0
9	228	Benz[a]anthracene	56-55-3
10	228	Chrysene	218-01-9




Figure 2. Details and identification of PAH peaks 1–10

Table 3. Peak Identification for Figure 3

Peak	MW	Compound	CAS
11	252	Benzo[b]fluoranthene	205-99-2
12	252	Benzo[k]fluoranthene	207-08-9
13	252	Benzo[a]pyrene	50-32-8
14	278	Dibenz[a,h]anthracene	53-70-3
15	276	Indeno[1,2,3-c,d]pyrene	193-39-5
16	276	Benzo[g,h,i]perylene	191-24-2




Figure 3. Details and identification of PAH peaks 11–16

Conclusion

Both GC column phase and oven program affect the separation of difficult to resolve PAH sets. With the optimized oven program described here, all 16 EPA PAHs are resolved in a single run with a runtime of less than 13 min. The Select PAH column also offers enhanced resolution of PAHs, preventing co-elution of interfering PAHs that can cause false positives and inaccurate results. Typical interferences are triphenylene on chrysene, and benzo[j]fluoranthene on benzo[k]fluoranthene. Application note SI-02232 describes the separation of 54 PAHs, including the 16 EPA PAHs and their interferences.

References

- Anon, (2005) Report Joint FAO/WHO Expert Committee on Food Additives, Sixty-fourth meeting, Rome, 8-17 February 2005.
- Bordajandi LR et al., (2008) Optimisation of the GC-MS conditions for the determination of the 15 EU foodstuff priority polycyclic aromatic hydrocarbons, *J. Sep. Sci.*, 31, 1769-1778.
- EPA (1984) Appendix A to part 136 methods for organic chemical analysis of municipal and industrial wastewater. Method 610—polynuclear aromatic hydrocarbons. US Environmental Protection Agency, Washington DC.
- Lerda D, (2009) Polycyclic Aromatic Hydrocarbons (PAHs) Factsheet.
- European Commission, Joint Research Centre, Institute for Reference Materials and Measurements, JRC 500871.
- Poster DL et al., (2006) Analysis of polycyclic aromatic hydrocarbons (PAHs) in environmental samples: a critical review of gas chromatographic (GC) methods. *Anal. Bioanal. Chem.*, 386, 859-881.
- Agilent (2009) Fast separation of EU and US EPA Regulated PAHs on Agilent J&W Select PAH. Application Note SI-02259, Agilent Technologies, Inc. www.agilent.com
- Ziegenhals, K. et al. (2008) Fast-GC/HRMS to quantify the EU priority PAH, *J. Sep. Sci.*, 31, 1779-1786.

www.agilent.com/chem

This information is subject to change without notice.

© Agilent Technologies, Inc. 2010

Published in UK, October 11, 2010

SI-02263



Agilent Technologies