



Lexmark® Z705 Photo Jetprinter™ Specifications



Exclusive Lexmark Photo Center Software

Easily edit, print and manage your images. This user friendly software allows users of all skill levels to make professional looking prints.

Print Fast!

Print 4" x 6" photo images in normal mode in about 60 seconds; up to 17 ppm black, up to 10 ppm color.

Print borderless photos that look just like traditional photographs (available on select paper sizes)

6-color capable printing

with optional photo cartridge (sold separately). Produces professional quality prints with vivid colors, smoother transitions and greater detail

Accu-Feed paper handling system

Virtually eliminates paper jams

Print 35mm photo quality resolution!

Up to 4800 x 1200 dpi on photo paper; up to 2400 x 1200 dpi on all other paper types

PrecisionSense technology

Achieves optimum results with automatic cartridge alignment and paper type sensing.

Tech Specs

| | |
|---|---|
| Print Technology | Thermal Inkjet |
| Color Technology | 4 Color Inkjet - Cyan, Magenta, Yellow, Black Optional 6 Color Photo Printing |
| Drop Size | 7 PicoLiter Color Droplet Size |
| Print Resolution, Black | Up to 2400 x 1200 dpi |
| Print Resolution, Color | Up to 4800 x 1200 dpi |
| Print Speed (letter, black) | Up to 17 (draft) pages per minute |
| Print Speed (letter, color) | Up to 10 (draft) pages per minute |
| Print Speed (A4, black) | Up to 17 (draft) pages per minute |
| Print Speed (A4, color) | Up to 10 (draft) pages per minute |
| Operating Systems Supported | Apple Mac OS 9.0.4 - 9.2.2 Apple Mac OS X Microsoft Windows XP (All versions) Microsoft Windows Me Microsoft Windows 2000 (all versions) Microsoft Windows 98 (All versions) |
| Standard Ports | USB |
| Optional External Network Adapter Support | Lexmark N1 Ethernet Adapter (Print only) Lexmark N5 Wireless Adapter (Print only) |
| Print (ASF) Envelope Capacity | Up to 10 |
| Print (ASF) Paper Input Capacity (Maximum) | 100 pages 75 gsm bond |
| Borderless Printing Media Sizes | A4 (8.27" x 11.7" or 210mm x 297mm) A6 (4.13" x 5.83" or 105mm x 148mm) Hagaki Card (100mm x 148mm) Letter (8.5" x 11" or 216mm x 279mm) Photo (4" x 6") |
| Print Paper and Envelope Sizes | A4 (210mm x 297mm) A5 (148mm x 210mm) A6 Card (105mm x 148mm) B5 (182mm x 257mm) Executive (7.25" x 10.5") Legal (8.5" x 14") |

Letter (8.5" x 11")
Statement (5.5" x 8.5")
Index Card (3" x 5")
Photo/Post Card (4" x 6")
L (3.5" x 5", 89mm x 127mm)
2L (5" x 7", 127mm x 178mm)
Hagaki Card (100mm x 148mm)
6 3/4 Envelope (3.25" x 6.5")
7 3/4 Envelope (3.875" x 7.5")
9 Envelope (3.875" x 8.9")
10 Envelope (4.125" x 9.5")
A2 Baronial (111mm x 146mm)
B5 Envelope (176mm x 250mm)
C5 Envelope (162mm x 229mm)
C6 Envelope (114mm x 162mm)
DL Envelope (110mm x 220mm)
Custom (Up to 8.5" x 17", 216mm x 432mm)

**Japanese Envelope Sizes
Supported**

Chokei 3 (120mm x 235mm)
Chokei 4 (90mm x 205mm)
Chokei 40 (90mm x 225mm)
Kakugata 3 (216mm x 277mm)
Kakugata 4 (197mm x 267mm)
Kakugata 5 (190mm x 240mm)
Kakugata 6 (162mm x 229mm)

Print Media Types

Plain Paper
Envelopes
Coated Paper (A4 or Letter)
Photo or Glossy Paper (A4 or Letter)
Transparency (A4 or Letter)
Card Stock
Index Card (3"x5")
Photo/Post Card (4"x6")
Hagaki Card
Labels
Iron-On Transfers
Banner (A4 or Letter)

**Printer Size (paper support and
exit tray extended), Height**

11.3 inches

**Printer Size (paper support and
exit tray extended), Width**

17.3 inches

**Printer Size (paper support and
exit tray extended), Depth**

14.8 inches

| | |
|---|---|
| Printer Size (paper support and exit tray retracted), Height | 6 inches |
| Printer Size (paper support and exit tray retracted), Width | 17.3 inches |
| Printer Size (paper support and exit tray retracted), Depth | 9.3 inches |
| Weight (packaged) | 6.64 lbs. |
| Print Noise Level, Operating | 44 dBA |
| Duty Cycle, Maximum | 3000 pages per month |
| Warranty | One Year Limited LexExpress SM |
| In the Box | Color Jetprinter #50 Black Print Cartridge #20 Color Print Cartridge Installation Software CD (Drivers and Software) Online User's Guide Setup Sheet Power Supply with cord Lexmark Photo Center Software USB Cable (In Latin America and Japan Only) |